### STORE

### APPLICATION FOR PERMIT

## TO ATTION THE PUBLIC WATERS OF THE STATE OF NEVADA RESERVOIR SITE NO. 6

Date of filing in State Engineer's Office	OCT 8 1986		
Returned to applicant for correction	MAR 4 1987	<u> </u>	
Corrected application filed	MAY 1 1987	······································	
Map filed	MAY 1 1987	under 50256	
The applicant Washoe Cour	ntv and Citv of Spar	ks	
		Reno City or Town	
State and Zip Code No.	•	plication for permission to appropriate the public	
waters of the State of Nevada, as hereina	fter stated. (If applicant is	a corporation, give date and place of incorpora-	
tion; if a copartnership or association, give	e names of members.)		
	Undongnound	waten appropriated under	
1: The source of the proposed appropri	ation is Name of s	water appropriated under	
applications 50191 through	ph 50241 inclusive.	ttream, take, spring, underground of other source	
2. The amount of water applied for is		N/A second-feet	
(a) If stored in recervoir give number	One second-foot	equals 448.83 gals. per min. 29,000	
		d storage of electrical energy).	
3. The water to be used for		ing, domestic, or other use. Must limit to one use.	
4. If use is for:			
(a) Irrigation, state number of acres (	o be irrigated	N/A	
(b) Stockwater, state number and kir	ds of animals to be watere	d N/A	
(c) Other use (describe fully under "T	No. 12. Remarks"	see remarks	
(d) Power:			
• •	•	1,500 megawatts	
		:	
		ter will be recycled.	
5. The water is to be diverted from its s will be centered about a po	ource at the following point of the following	the Inlet and outlet structures the Describe as being within a 40-acre subdivision of public	
SE <sub>4</sub> NE <sub>4</sub> of Section 16, T38	N, R18E, M.D.B.&M. a	t a point from which the SE corner.	
		°E a distance of 24,700 feet.	
6 Place of use Washoe County as	described in NRS 243	3.340 et seg. Place of use	
man has been filed under a	cribe by legal subdivision. If on uns	3.340 et seq. Place of use urveyed land, it should be so stated.	
·	<u> </u>		
		.1	
	· · · · · · · · · · · · · · · · · · ·		
7. Use will begin about January Month and I			
		35.010 you may be required to submit plans and	
specifications of your diversion or sto	orage works.) Two reser	voirs, penstock tunnels, a	
combination pumphouse/power		ansmission system.	
flumes, drilled well with pump and motor, etc.  9. Estimated cost of works	\$750,000,000.00		

10.	Estimated time required to construct works. 15 years.  If well completed, describe works.			
11.	1. Estimated time required to complete the application of water to beneficial use 15 Years.			
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.			
	see Attachment "A".			
	By S/Donald A. Mahin  Donald A. Mahin, Agent  Post Office Box 11130  Reno, Nevada 89520			
Prot	rested			
	DENIAL OF STATE ENGINEER  deny  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the			
be	wing limitations and conditions: This application is hereby denied on the grounds that it would not in the public interest to approve permits to appropriate water com sources on which water rights do not exist.			
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and			
not t	to exceedcubic feet per second			
Proc	k must be prosecuted with reasonable diligence and be completed on or before			
	dication of water to beneficial use shall be made on or before			
	of of the application of water to beneficial use shall be filed on or before			
-	pletion of work filed			
	State Engineer of Nevada, have hereunto-set my hand and the seal of			
Cultu	my office, this 13th day of April ,			
Certi	ficate No			
wil (	State Engineer			

#### ATTACHMENT "A"

# PUMPED STORAGE PROJECT NUMBER 2 PEGLEG CANYON QUADRANGLE RESERVOIR SITE NO. 6

This application is for storage of water in an artificial reservoir (afterbay) to be constructed as part of an electrical energy pumped storage project. This project consists of a forebay and afterbay that will recycle approximately 12,000 acre feet of water per day. The reservoirs will be connected to quasi-municipal water distribution facilities. The estimated annual evaporation from the forebay and afterbay in this project is less than 4,000 acre feet. The peak generating capacity of this project is about 1,500 megawatts. The power plant will be located at a point along a line connecting the forebay and afterbay.

The proposed dam will be modified ring dike approximately 60 feet high and will submerge approximately 500 acres of land lying below an elevation of 4,600 feet mean sea level within Section 16 T38N R18E M.D.B.&M. The average total vertical head of this project is approximately 1,650 feet. The selection of the power plant location, dam location and construction methods will depend upon a detailed site investigation and project optimization.

